

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : H04L 9/00		A1	(11) International Publication Number: WO 94/15421
			(43) International Publication Date: 7 July 1994 (07.07.94)
(21) International Application Number: PCT/US93/11173 (22) International Filing Date: 17 November 1993 (17.11.93) (30) Priority Data: 992,883 21 December 1992 (21.12.92) US (71) Applicant: BELL COMMUNICATIONS RESEARCH, INC. [US/US]; 290 West Mount Pleasant Avenue, Livingston, NJ 07039-2729 (US). (72) Inventors: HABER, Stuart, Alan; 16 West 16th Street, Apart- ment 3 SN, New York, NY 10011 (US). STORNETTA, Wakefield, Scott; 34 Harding Terrace, Morristown, NJ 07960 (US). (74) Agent: WINTER, Richard, C.; PCT International, Inc., Bell Communications Research, Inc., 290 West Mount Pleasant Avenue, Livingston, NJ 07039 (US).		(81) Designated States: AU, CA, JP, KR, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>	
(54) Title: METHOD OF EXTENDING THE VALIDITY OF A CRYPTOGRAPHIC CERTIFICATE			
(57) Abstract <p>A cryptographic certificate attesting to the authenticity of the original document elements will lose its validity when the cryptographic function underlying the certifying scheme is compromised. The present invention extends the reliability of such a certificate by subjecting the combination of the original certificate and the digital representation of the document to a scheme based on a less vulnerable function using the steps of: obtaining the original document (11); applying the function to the document to create the original certificate (13); combining the original document and the certificate (15); and, applying another function to the combination to create an extended certificate (17).</p>			
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <p>(11) Obtain Original Document (D)</p> <p>(13) Apply Function (F_1) To Create Original Certificate $C_1 = F_1(D)$</p> <p>(15) Combine Original Document and Certificate (D, C_1)</p> <p>(17) Apply Function (F_2) To Create Extended Certificate $C_2 = F_2(D, C_1)$</p> </div> <div style="width: 50%; text-align: right;"> </div> </div>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

METHOD OF EXTENDING THE VALIDITY
OF A CRYPTOGRAPHIC CERTIFICATE

5

BACKGROUND OF THE INVENTION

10 This invention relates to methods for certifying or
validating the existence or occurrence of a recorded document
or event, particularly methods which rely upon cryptographic
assumptions to establish the basis for such a certification or
validation. More specifically, the invention relates to a
method for reconfirming an original certificate in order to
15 maintain its validity for a significant period of time beyond
the probable compromise of an underlying cryptographic
assumption or step in the original certification procedure.

Time-stamping procedures described in U.S. Patent Nos.
20 5,136,646 and 5,136,647 are representative of a type of
certification for which the present method is adapted. Such
schemes for setting a reliable time of creation of a document,
or providing indisputable evidence against the alteration of a
document, generally digital computer data in alphanumeric,
25 pictorial, video, or audio form, depend upon the assumption
that there exist cryptographic functions which, when applied to
a digital representation of such a document, defy any manner of
manipulation which might permit undetectable alterations or
falsifications of the original state of document elements. The
30 functional procedures generally exemplified in those
disclosures typically provide this required property, since
they generate unique certificate statements which essentially
can not be duplicated other than from an identical document
representation. This security arises from the fact that the
35 derivation or reconstruction of these functions from the
products of their application is computationally infeasible.
Ultimate achievement of such derivations must be anticipated,

however, since a given function or procedure may be fatally flawed or, as is becoming more probable, advancements in computer technology and algorithmic techniques are likely to make more readily available a level of calculating power which enables such derivation.

With compromise of a step or algorithm in a procedural certification function, the possibility arises of generating duplicate certificates or parts thereof from different digital representations, i.e., creating "collisions", and thereby defeating the previously reliable basis for a certification scheme. Substitution of a newer and presumably less vulnerable function in the certification procedure may prevent for some finite time the compromise of future certificates, but the value of past certificates in establishing original creation dates, for example, is all but lost. The present invention, however, provides a means for bridging the technological gap and extending into the era of a newer function or procedure the validity of the original certification.

SUMMARY OF THE INVENTION

Historically, there has usually been an overlap period between the time spans of reliability of an established cryptographic function and one which has been newly implemented with improved resistance to compromise. As computational power increases and algorithmic techniques improve, the evolution and phasing of cryptographic certification procedures or functions, for example, can generally be foreseen. It is possible, therefore, to anticipate the final stages of reliability provided by an existing certification scheme and to initiate a procedure, such as provided by the present invention, to ensure the continuity of original certificate validity.

In essence, this invention entails generating from the

original document a new document certificate during the viable term of the original certification scheme, such as may be based upon a cryptographic signature key procedure or a time-stamping procedure. This new certification process comprises applying a different cryptographic function, e.g., a time-stamping procedure, to a combination including the original certificate and the original digital document from which the certificate was derived. Such a different function is preferably a new and presumably more reliable algorithm or procedure, or at least one upon which the original certification did not rely. The resulting certificate, generated by means of a function or procedure having a significant expected remaining term of reliability, now implacably embodies the original certificate elements at a time prior to any likely compromise of the original certification function. Since these original elements have as yet been exposed to no threat of compromise and are now bound by the new time stamp within the protective cloak of a far more relatively invulnerable certification function, their original veracity has been extended for at least the reliable term of this new function.

BRIEF DESCRIPTION OF THE DRAWING

The present invention will be described with reference to the accompanying drawing of which:

FIG. 1 presents a flow chart of steps embodying a general procedure implementing the certificate extension process of the invention; and

FIG. 2 presents a flow chart of steps embodying a rudimentary time-stamping procedure implementing the certificate extension process of the invention.

DESCRIPTION OF THE INVENTION

The extension procedure of the present invention is applicable to any manner of certificate digitally derived by cryptographic means. For instance, the process may be used to support the veracity of a document transmittal originally certified with a cryptographic key signature algorithm or function beyond a time when that function might be compromised, whether due to misappropriation of a secret key or to advances in computer technology and algorithmic techniques. A digital time-stamp certificate could similarly benefit by application of the invention to prevent its coming into question after compromise of the scheme or function underlying the time-stamping procedure. In general, the process of the invention is useful to ensure the continued viability of any certificate produced by a digital scheme or function which is capable of compromise.

The steps comprising a basic application of the certificate extension process are shown in FIG. 1. There, initial steps 11, 13 are intended to depict any certification procedure, such as a signature scheme or time-stamping process, in which a digital document, D_1 , e.g., a body of text or alphanumeric representations, a picture, an audio recording, or the like, is subjected to a cryptographic scheme or procedure, generally a "function", F_1 , to produce a certificate, C_1 , which will serve later as evidence of the original existence and substance of D_1 . The value of certificate, C_1 , will persist, however, only until a compromise of the certification function, as a whole or in a component step or algorithm, since, as a result of such a compromise, the certificate might thereafter be duplicated by an imposter or through the use of a counterfeit document.

The basic steps of the invention are therefore effected prior to any such compromise, as projected, for example, on the

basis of the current state of computational technology, and comprise combining, at 15, the original document, D, with the original certificate, C_1 , and applying to that combination, at 17, a different and presumably more secure scheme or function to
5 obtain a new certificate, C_2 , which will later attest to the validity of original certificate, C_1 , at a time when its generating function, F_1 , was as yet uncompromised and secure. The essential element of this process resides in the application of the new certification function to the
10 conjunction of original document, D, with original certificate, C_1 . This step avoids the error inherent in the naive and ineffectual procedure of merely recertifying either the original certificate or the original document alone; namely, that of perpetuating a compromise which reflects directly upon
15 the veracity of the original document, D.

As an example, one might consider application of the present invention to extend the valid lifetime of a digitally signed document where, in keeping with usual practices, a
20 digital signature, σ , is derived by application of some cryptographic signature scheme to a document, D. To avoid invalidation of such a signed document by subsequent compromise of the scheme, for instance, due to misappropriation of a user's private key, the pre-compromise generation of a certificate, C, by application of a time-stamp function, T, to a combination of
25 the signature and the document:

$$C = T(\sigma, D)$$

will provide continuing proof that the signature was created
30 prior to the compromise, i.e., at a time when only a legitimate user could have produced it. Such a certificate might also be used to establish original authorship of the document.

The invention is broadly useful, as well, as a means of
35 extending or "renewing" time-stamp certificates, generally. For example, a simple scheme for certifying an event, such as time-stamping the creation of a document, comprises establishing a

digital representation of the document content, adding data denoting current time, and permanently fixing the resulting digital statement against subsequent revision, all under trustworthy circumstances, to yield a certificate which will
5 provide irrefutable evidence of the event at a later time. Means for ensuring the original veracity of the certificate have been described in our earlier-noted patent specifications as including use of trusted outside agencies, arbitrary selection of agencies, linking of certificates in temporal chains, and
10 similar practices which remove substantially all influence a document author might have upon the certification process. Other methods of establishing the authenticity of original certification procedures might also include private and public key cryptographic communications.

15 Common to certification procedures is the application of some manner of cryptographic function by which the document, related identifying data, or digital representations of these elements may be algorithmically reduced to a unique statement or cipher which can not feasibly be duplicated from different
20 representative elements by computational means. Any of the general class of one-way hashing algorithms, for example, may be used in such a procedure or function applied to a digital representation of a time-receipted document to produce an
25 inimitable certificate, usually in the form of a cryptic string of alphanumeric characters, which can only be generated by such an application of that same function to exactly that digital representation. The additional characteristic property of the one-way function is that of possessing such mathematical
30 complexity as to discourage the computational derivation or reconstruction of the original digital representation from the resultant certificate, as well as to discourage the generation of a matching certificate from a different representation.

35 A simple certification procedure utilizing such a one-way hashing algorithm is represented in FIG. 2 at steps 21-23. There, digital document, D_1 , of step 21 is identified, e.g.,

annotated with author data, to yield a receipt, R_1 , that, in a rudimentary procedure which may be simply stated as:

$$C_1 = F_1(H_1(R_1))$$

5 is in turn reduced at step 23 to a certificate, C_1 , by application of a time-stamping function, F_1 , comprising a current hash algorithm, H_1 .

10 As a result of computational or algorithmic developments over time, or in the event of a flaw in the function itself, hash, H_1 , may become compromised with the result that a falsified receipt, R_x , could produce a duplicate, or "collision", certificate, C_1 . The veracity of original
15 certificate, C_1 , and its value as probative evidence of the contents of document, D , and other elements of receipt, R_1 , would thus be destroyed, since there would no longer exist a singular certificate cipher that could be traced solely to the original document and its once-unique receipt, R_1 .

20 Advent of the collision need not denigrate the worth of the initial certificate back to the time of its creation, however, but only for the period subsequent to the compromise. The value of the certificate during its earlier term could be preserved and extended into the future if means were available
25 to link into a time prior to such compromise with a trustworthy scheme for deriving a new certificate at least as unique and intractable as was the initial certificate. The problem, therefore, has been to "recertify" the original certificate in a manner which would verify the facts that had been securely
30 bound into that certificate until the first collision occurred.

A naive solution to this problem would appear to be just that simple; that is, to recertify the original certificate, for example by applying a new and more robust hash, H_2 . The
35 fallacy in this approach becomes apparent, however, when one

considers that after the instance of a collision the condition exists where:

$$H_1(R_1) = C_1 = H_1(R_x).$$

- 5 The hashing of certificate, C_1 , with a new function, H_2 , would therefore not produce a renewal certificate cipher, C_2 , unique only to receipt, R_1 , since:

$$C_2 = H_2(C_1) = H_2(H_1(R_1)) = H_2(H_1(R_x))$$

- 10 and, thus, there is no reliable distinction between those resulting certificates.

The present invention, however, does provide such a unique certificate which serves to extend the veracity of an original certificate beyond subsequent compromise of the original function or algorithm. This is accomplished, as in the representative of FIG. 2, by combining, at step 25, the original certificate, C_1 , with the original document, D_1 , from which it was generated and which is to be later proven, and applying to that composite statement, at step 27, a different certification function, F_2 , e.g., comprising a new hashing algorithm, H_2 , to yield the extended certificate:

$$C_2 = F_2(H_2(C_1, D_1)) = F_2(H_2(H_1(R_1), D_1)).$$

- 25 The final represented step, 29, in which it is established that the new certificate, C_2 , was created during the valid term of original certificate, C_1 , i.e., prior to any compromise of the original certification function, may be effected along with step 27, for example in the course of applying an earlier-described time-stamping procedures, to generate certificate, C_2 . Alternatively, the effective time of the new certificate, C_2 , may be established simply by publication, e.g., in a widely-distributed newspaper, either alone or as incorporated into a derivative representation similar to the "authentication tree" noted by D.E.R. Denning in *Cryptography and Data Security*, pp. 170-171, Addison-Wesley (1982).

In the ultimate utilization of this new certificate, C_2 , to prove the original document, D_1 , by recomputing certificate, C_2 , from its elements, such proof will fail unless original document, D_1 , rather than a bogus document, D_x , is an included element. Even though a collision due to compromised function, H_1 , may exist at the time of using certificate, C_2 , in a proof, the as yet invulnerable state of hash function, H_2 , ensures against any collision with the expanded statement, i.e., one comprising document element, D_1 , which is used to generate that new certificate. During a normal proofing process, the original certificate, C_1 , will also be recomputed using the document in question. Unless the document then employed to recompute original certificate, C_1 , matches precisely the document similarly employed with new certificate, C_2 , the proof will not be realized. A false document, D_x , therefore can not be substituted surreptitiously for an original document as long as the applied hash function, H_2 , remains uncompromised, since for any document, D_x , which one could feasibly compute:

$$H_2(C_1, D_1) \neq H_2(C_1, D_x).$$

When advancements in computation portend a compromise situation, yet a different time-stamp function, e.g., one utilizing algorithm, H_3 , with longer life expectancy may be employed in the same procedure to again extend the involved certificate.

As an example of the implementation of the present invention, one might consider first an initial certificate prepared in the manner described in our earlier U. S. Patent No. 5,136,646 employing the one-way hash algorithm specified by R. L. Rivest in "The MD4 Message Digest Algorithm", *Advances in Cryptology - Crypto '90*, Lecture Notes in Computer Science, Vol. 537 (ed. A. J. Menezes et al.), pp. 303-311, Springer-Verlag (Berlin, 1991). In that earlier example, elements of the

receipt, R_1 , identifying the quotation "document" appeared as:

1328, 194628GMT06MAR91, 634, -
ee2ef3ea60ef10cb621c4fb3f8dc34c7

5 and with additional data representing a prior transaction formed the basic statement to which the function comprising MD4 hash algorithm, H_1 , was applied to yield the unique cipher:

46f7d75f0fbea95e96fc38472aa28ca1

10 which is held by the author as a time-stamp certificate, C_1 .

In the event of an anticipated compromise of the MD4 hash function algorithm, the procedure of this invention would be initiated utilizing a different time-stamping certification function comprising, for example, a new algorithm, H_2 , such as the MD5 hashing function described by Rivest and Dusse, "The MD5 Message Digest Algorithm", Network Working Group, Internet Draft, RSA Data Security, Inc. (July 1991); RFC 1321, Internet Activities Board (April 1992).

20 As an initial step in this procedure, the document representation, D_1 , to be proven at a later time is combined with original certificate, C_1 , either in original digital form or, preferably, as the convenient, condensed output of hash function, H_2 , viz.:

.D9776652kDAj2.M5191CAD7

thus forming the combination statement, (C_1, D_1) , as:

30 46f7d75f0fbea95e96fc38472aa28ca1,
.D9776652kDAj2.M5191CAD7.

Applying to this statement hashing algorithm, H_2 , comprising the new function, F_2 , produces:

35 656h//PDDM60M9/qDDt85F56

which in a time-stamping procedure, for instance, may be transmitted to an outside agency for the inclusion of current

time data and authenticating cryptographic signature to yield extended certificate, C_2 . As earlier noted, the effective date of a new certificate, C_2 , may otherwise be established, such as in other time-stamping schemes or by public display or
5 notoriety.

A variation on the foregoing embodiment provides an even more reliable practice in that it substantially eliminates the uncertainties associated with estimating the onset of a
10 certification function compromise. This is accomplished by using a plurality of different cryptographic functions, e.g., F_a and F_b , to derive a compound original certificate, C_α :

$$C_\alpha = F_a(D_1), F_b(D_1)$$

15 which will remain valid even after the confirmed compromise of one of those function due to the likely continued viability of the other. Thus a period of security continues during which one may select a new certification function, F_c , to be employed in the extension of certificate, C_α as:

20

$$C_\beta = F_b(C_\alpha, D_1), F_c(C_\alpha, D_1).$$

Subsequent compromise of any current cryptographic function can be remedied in like manner.

25 It is anticipated that other variants will become apparent to the skilled artisan in the light of the foregoing disclosure, and such embodiments are likewise considered to be encompassed within the scope of the invention defined by the appended claims.

30

35

What is claimed is:

- 1 1. A method of extending the validity of a first
2 cryptographic certificate derived by applying a first
3 cryptographic function to a digital document, which method
4 comprises:
5 a) combining a digital representation of said document
6 with a digital representation of said certificate; and
7 b) applying to the resulting combination during the valid
8 term of said first certificate a different cryptographic
9 function to thereby generate a second certificate attesting to
10 the then current validity of said first certificate.
- 1 2. A method according to claim 1 wherein said first function
2 is a cryptographic signature scheme.
- 1 3. A method according to claim 2 wherein said different
2 function is a time-stamping procedure.
- 1 4. A method according to claim 3 wherein said different
2 function comprises a one-way hashing algorithm.
- 1 5. A method according to claim 1 wherein said first function
2 is a time-stamping procedure.
- 1 6. A method according to claim 5 wherein said first function
2 comprises a one-way hashing algorithm.
- 1 7. A method according to claim 5 wherein said different
2 function is a time-stamping procedure.

1 8. A method according to claim 7 wherein said first function
2 comprises a first one-way hashing algorithm and said different
3 function comprises a different one-way hashing algorithm.

1 9. A method according to claim 1 wherein said different
2 function is a time-stamping procedure.

1 10. A method of certifying a digital representation of a
2 document which comprises:
3 a) generating a first certificate by applying to said
4 digital representation at least a first cryptographic function;
5 b) combining said first certificate with said digital
6 representation; and
7 c) generating a second certificate by applying to said
8 combination at least one cryptographic function which is
9 different from said first function.

1 11. A method according to claim 10 wherein said first
2 function is a cryptographic signature scheme.

1 12. A method according to claim 11 wherein said different
2 function is a time-stamping procedure.

1 13. A method according to claim 12 wherein said different
2 function comprises a one-way hashing algorithm.

1 14. A method according to claim 10 wherein said first
2 function is a time-stamping procedure.

1 15. A method according to claim 14 wherein said first
2 function comprises a one-way hashing algorithm.

1 16. A method according to claim 14 wherein said different
2 function is a time-stamping procedure.

1 17. A method according to claim 16 wherein said first
2 function comprises a first one-way hashing algorithm and said
3 different function comprises a different one-way hashing
4 algorithm.

1 18. A method according to claim 10 wherein:
2 a) said first certificate is generated by applying to
3 said digital representation at least first and second different
4 cryptographic functions; and
5 b) said second certificate is generated by applying to
6 said combination at least one cryptographic function which is
7 different from said first and second functions.

1 19. A certificate authenticating a digital representation of
2 a document, said certificate consisting of a second certificate
3 generated according to the method of claim 10.

1 20. A certificate according to claim 19 wherein:
2 a) said first certificate is generated by applying to
3 said digital representation at least first and second different
cryptographic functions; and
b) said second certificate is generated by applying to
said combination at least one cryptographic function which is
different from said first and second functions.





FIG. 1



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US93/11173

A. CLASSIFICATION OF SUBJECT MATTER IPC(S) : H04L 9/00 US CL : US 380/23 According to International Patent Classification (IPC) or to both national classification and IPC				
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 380/3,4,5,9,10,23,24,25,28,30,49,50 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
A	US, A, 4,405,829 (RIVEST ET AL) 20 SEPTEMBER 1983.	1-20		
A	US, A, 4,625,076 (OKAMOTO ET AL) 25 NOVEMBER 1986.	1-20		
A	US, A, 4,868,877 (FISCHER) 19 SEPTEMBER 1989.	1-20		
A	US, A, 4,881,264 (MERKLE) 14 NOVEMBER 1989.	1-20		
A	US, A, 4,972,474 (SABIN) 20 NOVEMBER 1990.	1-20		
A	US, A, 5,001,752 (FISCHER) 19 MARCH 1991.	1-20		
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.				
<table border="0"> <tr> <td> * Special categories of cited documents: "A" document defining the general state of the art which is not considered to be part of particular relevance "E" earlier document published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed </td> <td> "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family </td> </tr> </table>			* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be part of particular relevance "E" earlier document published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be part of particular relevance "E" earlier document published on or after the international filing date "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family			
Date of the actual completion of the international search 14 JANUARY 1994		Date of mailing of the international search report MAR 24 1994		
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. NOT APPLICABLE		Authorized officer <i>Diane Goddard</i> BERNARR EARL GREGORY Telephone No. (703) 308-0479		

-12-

certification. Also, the initial seed for the pseudorandom generator may be based upon a function of time or previously receipted documents, as well as of the document. As an alternative, an organizational designee
5 might serve as a resident "outside" agency who would maintain a catenate certificate record of organization documents by means of the present procedure and on a regular basis would transmit the then current catenate certificate to a TSA. In this manner the sequence of an
10 organization's business records would be established both within the organization and externally through the TSA.

Also, the implementation of process embodiments might readily be automated in simple computer programs which would directly carry out the various steps of
15 hashing, transmitting, and concatenating original document representations, applying current time stamps, generating and recording catenate certificate values, and providing receipt certificates.

THE DRAWING

20 The present invention will be described with reference to the accompanying drawing of which:

FIG. 1 is a flow diagram of a general process of time-stamping a document according to the invention;

FIG. 2 is a flow diagram of a specific embodiment
25 of the process;

FIG. 3 is a flow diagram of another specific

-25-

What is claimed is:

1 1. A method for the secure time-stamping of a digital
2 document
3 characterized in that
4 a) a digital representation of said document is
5 transmitted from an originator to an outside agency;
6 b) said outside agency creates a receipt comprising
7 a digital representation of then current time and at least
8 a portion of a digital representation of said digital
9 document; and
10 c) said receipt is certified at said outside agency
11 by means of a verifiable digital cryptographic signature
12 scheme.

1 2. A method according to claim 1
2 characterized in that
3 said receipted digital document representation comprises
4 at least a portion of the digital representation of the
5 number derived by application of a deterministic function
6 algorithm to said digital document.

1 3. A method according to claim 2
2 characterized in that
3 said digital number representation is derived from the
4 application of a one-way hashing algorithm to said digital
5 document.

originator
outside
agency
time
signature

-26-

1 4. A method according to claim 1
2 characterized in that
3 said receipt further comprises the time representation and
4 digital document representation specific to at least one
5 other digital document receipted by said outside agency.

1 5. A method according to claim 1.
2 characterized in that
3 said outside agency is selected at random from a
4 predetermined universe by means of a pseudorandom
5 generator seeded with at least a portion of the digital
6 representation of the number derived from the application
7 of a deterministic function algorithm to said digital
8 document.

1 6. A method according to claim 5
2 characterized in that
3 said pseudorandom generation seed is derived from the
4 application of a one-way hashing algorithm to said digital
5 document.

1 7. A method according to claim 5
2 characterized in that
3 said method further comprises the like preparation of a
4 time-stamp certificate by at least one additional outside
5 agency selected by said pseudorandom generation.

1 8. A method according to claim 7
2 characterized in that
3 said method further comprises the like preparation of a
4 time-stamp certificate by at least one additional outside

-27-

5 agency selected by said pseudorandom generation and
6 wherein the input for each additional outside agency
7 selection is at least a portion of the digital
8 representation of the output derived from the application
9 of said one-way hashing algorithm to a digital
10 representation of the previously generated output.

1 9. A method of certifying the temporal sequence of
2 digital documents in a series
3 characterized in that
4 said method comprises:
5 a) generating a digital representation of a
6 specified one of the documents in said series; and
7 b) generating a catenate certificate value
8 representation for said specified document by applying a
9 deterministic function algorithm to a concatenation
10 comprising said specified document representation and the
11 catenate certificate value representation for the document
12 next prior in said series to said specified document.

1 10. A method according to claim 9
2 characterized in that
3 said method further comprises repeating said recited steps
4 with each subsequent document in said series.

1 11. A method according to claim 10
2 characterized in that
3 each said document representation is generated by applying
4 a deterministic function algorithm to said document.

-28-

1 12. A method of time-stamping a digital document which
2 comprises transmitting a digital representation of said
3 document to an outside agency, creating at said outside
4 agency a receipt comprising a digital representation of
5 then current time and at least a portion of a digital
6 representation of said digital document, and certifying
7 said receipt at said outside agency
8 characterized in that
9 the certifying of said receipt comprises:
10 a) concatenating a digital representation of said
11 receipt with a representation of a prior catenate
12 certificate value to form a composite; and
13 b) generating a catenate certificate value for said
14 receipt by applying a deterministic function algorithm to
15 said composite.

con

1 13. A method of time-stamping a digital document
2 according to claim 12
3 characterized in that
4 said outside agency maintains a record comprising the
5 catenate certificate values of prior time-stamping
6 transactions.

1 14. A method of time-stamping a digital document
2 according to claim 12
3 characterized in that
4 said receipted digital document representation comprises
5 at least a portion of the digital representation of the
6 value derived by application of a deterministic function
7 algorithm to said digital document.

1 15. A method of time-stamping a digital document
2 according to claim 14
3 characterized in that
4 said digital value representation is derived from the
5 application of a one-way hashing algorithm to said digital
6 document.

1/5




FIG. 1

2/5




FIG. 2

3/5




FIG. 3

4/5




FIG. 4

5/5




FIG. 5